

INDEX MAPS.

T. 17 N. R. 7 W. 2nd Mer.

352	351	351	351	350	350	
352 6	376 5	370 4	366 3	362 2	358 1	350
376	376	370	366	362	357	
353 7	375 8	370 9	365 10	361 11	357 12	350
375	374	369	365	361	357	
353 18	374 17	369 16	365 15	360 14	356 13	349
374	373	368	364	360	356	
353 19	373 20	368 21	364 22	360 23	355 24	349
373	372	368	363	359	355	
352 30	372 29	367 28	363 27	359 26	355 25	349
371	371	367	363	359	354	
352 31	371 32	367 33	362 34	358 35	354 36	348
348	348	347	347	347	347	

T. 18 N. R. 7 W. 2nd Mer.

384	384	383	383	383	382	
386 6	407 5	402 4	398 3	394 2	390 1	382
407	407	401	397	393	390	
386 7	406 8	401 9	397 10	393 11	389 12	382
406	406	401	397	393	389	
385 18	405 17	400 16	396 15	392 14	388 13	382
405	405	400	396	392	388	
385 19	404 20	400 21	396 22	392 23	388 24	381
404	404	399	395	391	387	
385 30	403 29	399 28	395 27	391 26	387 25	381
403	403	399	394	391	387	
384 31	402 32	398 33	394 34	390 35	386 36	381
380	380	380	379	379	379	

The figures on the lines refer to the page.

347

Township N. 47 North, Range N. 7 West 2. Mer. Ind.

Township Lines.

Ch. Sk. South Boundary. Var. 6' 40' E.
West on the S. Boundary of Sec. 36

40.00 set q. sec. post from which

a Hickory 9 in. dis. bears S 50 E 9 W. dist. 8

a Beech 7 " " " N 45 W 25 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 9 in. dis. bears N 14 W 24 W. dist. 8

a Do 11 " " " S 37 E 20 " "

Land level rich and good for farming, timber
Beech, Sugar, Walnut, Ash

West on the S. Boundary of Sec. 35

40.00 set q. sec. post from which

a Beech 4 in. dis. bears N 61 W 2 W. dist. 8

a Do 6 " " " S 53 E 25 " "

50.00 a Brook 10 W. wide course SW

55.00 a Do 10 " " " NW. same

75.00 a Do 15 " " " SW same

80.00 set post cor. of sec. 34 & 35 from which

a Beech 18 in. dis. bears N 22 E 3 W. dist. 8

a Do 12 " " " S 32 W 10 " "

Land same

West on the S. Boundary of Sec. 34

40.00 set q. sec. post from which

a Hickory 12 in. dis. bears S 70 W 30 W. dist. 8

a Beech 12 " " " S 69 E 38 " "

80.00 set post cor. of sec. 33 & 34 from which

a Beech 10 in. dis. bears N - W 20 W. dist. 8

a Sugar 4 " " " S 55 E 21 " "

Land similar

West on the S. Boundary of Sec. 33

38.00 a Brook 5 W. wide course SW

40.00 set q. sec. post from which

T. 17 N., R. 7 W. 2^d. Mer. Ind.

Ch. Sp.

a Beech 9 in. dia. bears S 83 E 21 lbs. dist. 2
 a Sugar 9 " " " S 80 W 6 " "
 80.00 set part cor. of sec. 32 & 33 from which
 a Beech 14 in. dia. bears S 60 W 12 lbs. dist. 2
 a Sugar 14 " " " S 51 E 17 " "
 Land similar good for farming

West on the S. Boundary of Sec. 32

34.00 a Brook 20 lbs. wide course N.

40.00 set gr. sec. part from which
 an Ironwood 8 in. dia. bears S 11 W 18 lbs. dist. 2
 a W. Oak 18 " " " N 3 E 20 " "

51.15 Intersect Range line 725 lbs. S. of temp. post -
 set post at intersection cor. of T. 16 N., R. 7 W. 8 W
 from which

a Beech 8 in. dia. bears S 88 E 23 lbs. dist. 2
 a Do 4 " " " N 89 W 20 " "

80.00 set part cor. of sec. 31 & 32 from which
 a Sugar 11 in. dia. bears S 4 E 10 lbs. dist. 2
 a Do 7 " " " N 39 W 38 " "

Land part level & part broken 2^d rate, Beech,
 Sugar, Ash, Poplar. Middling farming land

West on the S. Boundary of Sec. 31

35.00 a Brook 5 lbs. wide course N

40.00 set gr. sec. part from which
 a Beech 5 in. dia. bears N 87 E 19 lbs. dist. 2
 a Do 10 " " " N 62 W 20 " "

80.00 set part cor. of T. 17 N., R. 7 W. 8 W. from which
 a Beech 9 in. dia. bears West 10 lbs. dist. 2
 a Do 8 " " " N 35 W 15 " "
 Land similar.

East Boundary. Var. 7° 10' E.

North on the E. Boundary of Sec. 30 Aug. 25. 1819

40.00 set gr. sec. part from which

T. 17 N., R. 7 W. 2. Mer. Ind.?

Ch. 20?

a Hickory 14 in. diam bears S 20 W 3 lbs. dnt. &
 an Elm 11 " " " S 69 E 27 " "

70.00 a Brook 5 lbs. wide course N

80.00 let part cor. of sec. 25 & 36 from which

a Sugar 9 in. diam bears S 32 E 5 lbs. dnt. &

a Do 9 " " " N 32 W 15 " "

Land level rich & good for farming, timber Sugar,
 Walnut, Oak, Beech, Elm, Ash

North on the E. Boundary of Sec. 25

5.00 a Brook 10 lbs. wide course NW

40.00 let of sec. part from which

a Walnut 4 in. diam bears N 48 E 20 lbs. dnt. &

a W. Birch 8 " " " N 13 W 27 " "

40.25 a Spring branch 4 lbs. wide course NE

80.00 a Sugar 12 in. dia. stands for cor. of sec. 24 & 25

South 1/2 mile land similar, 1/2 mile broken.

North in the E. Boundary of Sec. 24

6.00 a Creek 30 lbs. wide course W

40.00 let of sec. part from which

a Sugar 9 in. diam bears East 26 lbs. dnt. &

a Hackberry 14 " " " N 17 W 31 " "

80.00 let part cor. of sec. 13 & 24 from which

a Sugar 18 in. diam bears S 71 E 9 lbs. dnt. &

a W. Walnut 8 " " " N 15 W 30 " "

First rate Bottom mostly

North on the E. Boundary of Sec. 13

30.00 a Creek 200 lbs. wide course W

40.00 let of sec. part from which

an Ironwood 6 in. diam bears S 51 E 7 lbs. dnt. &

a W. Ash 4 " " " N 43 W 12 " "

52.00 a Brook 26 lbs. wide course E

80.00 let part cor. of sec. 12 & 13 from which

a Beech 9 in. diam bears S 3 E 8 lbs. dnt. &

T. 17 N., R. 7 W. 2^d Mer. Ind^a

Ch^s. Ch^s.

a Sugar 27 in. dia. bears N 12 W 27 lks. dist.
Most of this mile broken land, South part bottom

North on the E. Boundary of Sec. 12

40.00 a Lynn 12 in. dia. stands for g. sec. cor.

80.00 set part cor. of sec. 12/12 from which

a Beech 9 in. dia. bears N 84 W 9 lks. dist. &

a Sugar 4 " " " S 7 W 5 " "

Land level, South 1/2 mile good for farming,
North 1/2 mile part wet

North on the E. Boundary of Sec. 1

40.00 set g. sec. part from which

a Beech 9 in. dia. bears N 18 E 6 lks. dist. &

a Do 8 " " " South 30 " "

80.00 set temporary Township corner.

Second rate good farming land, Beech, Sugar.

North Boundary. Var. 7° 10' E.

West on the S. Boundary of Sec. 36, T 18 N., R 7 W

39.00 a Brook 20 lks. wide course NW

40.00 set g. sec. part from which

a Sugar 11 in. dia. bears South 41 lks. dist. &

a W. Oak 18 " " " S 40 W 36 " "

64.00 same Brook course SW

70.00 a Brook 5 lks. wide course S.

80.00 set part cor. of sec. 35 & 36 from which

a Sugar 9 in. dia. bears N 44 W 10 lks. dist. &

a Beech 10 " " " S 10 W 22 " "

Land level 2^d rate, timber Beech & Sugar

West on the S. Boundary of Sec. 35, T 18 N., R 7 W

August 6. 1819

35.00 a Brook 12 lks. wide course NW

40.00 set g. sec. part from which

a Sugar 9 in. dia. bears S 4 E 9 lks. dist. &

T. 17 N., R. 7 W. 2^d Mer. Ind^a.

Ch. Sp.

a Beech 7 in. dia. leans N 74 E 11 lbs. dist. &

~~a Sugar 9 " " " S 4 E 9 " "~~

42.50 a Brook 12 lbs. wide course S

45.00 same Brook " N

80.00 dit part cor. of sec. 34 & 35 from which

a S. Oak 2 1/2 in. dia. leans N 85 E 13 lbs. dist. &

a Beech 18 " " " N 67 W 45 " "

Land part rolling, part broken & part level,
2^d rate soil, timber Beech, Sugar, Poplar, Ash &c.

West on the S. Boundary of Sec. 34, T. 18 N., R. 7 W

29.00 a Brook 8 lbs. wide course NW

40.00 dit of sec. part from which

a Beech 9 in. dia. leans S 70 E 36 lbs. dist. &

a Do 8 " " " West 9 " "

45.00 a Creek 100 lbs. wide course SW

62.00 a Brook 12 " " " S

80.00 dit part cor. of sec. 33 & 34 from which

a Beech 12 in. dia. leans N 18 E 27 lbs. dist. &

a Do 9 " " " S 12 E 4 " "

Land part broken & part bottom.

Bottom rich, in part it overflows.

West on the S. Boundary of Sec. 33, T. 18 N., R. 7 W

20.00 a Brook 12 lbs. wide course S.

40.00 dit of sec. part from which

a Poplar 18 in. dia. leans S 3 E 14 lbs. dist. &

a Beech 18 " " " N 55 E 33 " "

80.00 dit part cor. of sec. 32 & 33 from which

a Sugar 8 in. dia. leans N 44 W 2 lbs. dist. &

a Do 5 " " " S 16 E 25 " "

Land part level 2^d rate, part broken

West on the S. Boundary of Sec. 32, T. 18 N., R. 7 W

40.00 dit of sec. part from which

a Beech 14 in. dia. leans S 29 E 19 lbs. dist. &

T. 17 N., R. 7 W. 2^d Mer. Ind.^a

Ch. Lk.

a Sugar 9 in. diameter N 22 W 13 W. dist.
80.00 set part cor. of sec. 31 & 32 from which
a Beech 9 in. diameter N 53 E 17 W. dist. &
a Sugar 12 " " " S 37 W 17 " "
Land level 2^d rate, middling farming land

West in the S. Boundary of Sec. 31, T 18 N, R 7 W
12.00 at Brook 15 W. wide corner S.

29.00 a Do 10 " " " S.

40.00 set q. sec. part from which

a Beech 10 in. diameter East 2 W. dist. &

a Do 3 " " " N 80 W 54 " "

82.27 Intersect W. Boundary 14.70 Ch. Lk. of temp. part -
set part at intersection cor. of T. 17 N, R. 7 W.
7 & 8 W. from which

a W. Beech 5 in. diameter S 58 E 12 W. dist. &

an Elm 11 " " " N 16 E 12 " "

Land level 2^d rate, part wet, middling
farming land.

West Boundary. Var. 7th 06' E.

North on the E. Boundary of Sec. 30, T 17 N, R 8 W.

August 23. 1819

40.00 set q. sec. part from which

a Linn 14 in. diameter S 63 E 33 W. dist. &

a Beech 10 " " " N 78 W 24 " "

76.00 at Brook 10 W. wide corner W

80.00 set part cor. of sec. 35 & 36 from which

a Sugar 8 in. diameter S 34 W 13 W. dist. &

a Beech 9 " " " S 70 E 11 " "

South 1/2 mile level, North 1/2 broken, timber
Beech, Sugar, Ash, Oak, Hickory & good
soil, middling good farming land.

North in the E. Boundary of Sec. 25, T 17 N, R 8 W

August 24. 1819

T. 17 N., R. 7 W. 2^d Mer. Ind.^aCh. 1st

10.00 a Brook 5 lbs. wide course W.

15.00 a Do 12 " " " S.

40.00 g. sec. corner in a creek 300 lbs. wide course W

80.00 set part cor. of sec. 24 & 25 from which
 a Sugar 9 in. dia. bears S 44 W 40 lbs. dist. 3
 a Do 9 " " " N 80 E 34 " "
 Land part broken & part creek bottom
 which overflows.

North on the E. Boundary of Sec. 24, T. 17 N., R. 8 W.

35.00 a Brook 8 lbs. wide course E

40.00 set g. sec. part from which

a Poplar 30 in. dia. bears S 12 W 12 lbs. dist. 3

a Sugar 9 " " " N 7 W 34 " "

72.00 a Brook 8 lbs. wide course E.

80.00 set part cor. of sec. 13 & 24 from which

a Beech 18 in. dia. bears S 72 E 12 lbs. dist. 3

a Do 8 " " " S 81 W 11 " "

Land very broken, Soil 2^d rate

North on the E. Boundary of Sec. 13, T. 17 N., R. 8 W.

40.00 set g. sec. part from which

a Sugar 18 in. dia. bears N 83 E 87 lbs. dist. 3

a Do 14 " " " N 53 W 35 " "

72.00 a Creek 12 lbs. wide course SE

80.00 set part cor. of sec. 12 & 13 from which

a Sugar 10 in. dia. bears S 37 W 25 lbs. dist. 3

a Do 9 " " " N 18 E 21 " "

Land same

North on the E. Boundary of Sec. 12, T. 17 N., R. 8 W.

35.00 a Brook 10 lbs. wide course SE

40.00 set g. sec. part from which

a Hickory 8 in. dia. bears N 78 W 7 lbs. dist. 3

a W. Beech 6 " " " N 80 E 7 " "

80.00 set part cor. of sec. 10 & 12 from which

T. 17 N., R. 7 W. 2. Mer. Ind.

Ch. Co.

a Sugar 9 in. dia. bears S 85° W 30 lbs. dist. 8
 a W. Beech 7 " " North 1 " "
 Land part rolling, part level 2^d rate,
 middling good for farming.

North on the E. Boundary of Sec. 1, T. 17 N., R. 8 W.

40.00 lot of sec. port from which

a Maple 30 in. dia. bears S 75° E 18 lbs. dist. 8

a Beech 14 " " " N 65° W 20 " "

80.00 lot temporary Township corner.

Land level, North 1/2 mile wet, timber Oak,

Beech, Ash, Hickory, Lym.

August 1819

William Harris

Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36

Monday, June 26. 1820

10.28 a Buckeye 12 in. dia.

19.75 a W. Oak 36 " "

40.00 lot of sec. port from which

a Beech 9 in. dia. bears N 12° E 16 lbs. dist. 8

a Do 10 " " " S 27° E 23 " "

54.00 a Poplar 30 in. dia.

80.00 lot port cor. of sec. 25, 26, 35 & 36 from which

an Ironwood 5 in. dia. bears S 21° W 26 lbs. dist. 8

a Beech 10 " " " N 6° E 30 " "

First 1/2 mile level 1st rate, 2 1/2 mile hilly
 2^d rate, timber Walnut, Beech, Poplar &c.

East on Random between Sec. 25 & 36

3.70 a Stream 20 lbs. wide course N.

20.00 a Do 25 " " " N W

40.00 lot temp. of sec. port

47.00 a Stream 15 lbs. wide course S W

80.50 Intersect E. Boundary 120 lbs. S. of port -

T. 17 N., R. 79 W. 2^d Mer. Ind.^aChp. 20th

Land hilly, timber Beech, Sugar, Poplar &
Upr. Spruce

West Connected between Sec. 25 & 26

40.25 cut gr. sec. post at aver. dist. from which
a Sugar 4 in. diam bears N 81 E 20th dist. 8
a Beech 10 " " S 81 W 4 " "
80.50 to sec. cor.

North between Sec. 25 & 26

8.00 a Stream 25th Wk. wide course N 9 W
10.00 a Do 25 " " " N 9 W
30.08 a Do 25 " " " N 9 W
40.00 cut gr. sec. post from which
an Ironwood 4 in. diam bears S 38 E 19th Wk. dist. 8
a Hickory 12 " " " N 15 W 9 " "
57.00 Sugar Creek 200 Wk. wide course W
64.82 a Honey Locust 12 in. dia.
80.00 cut post cor. of Sec. 23, 24, 25 & 26 from which
a Buckeye 4 in. diam bears West 15 Wk. dist. 8
a Sugar 30 " " " N 5 E 20 " "
Land hilly 2nd rate, timber Sugar, Beech,
Walnut & Upr. Spruce &

East on Random between Sec. 24 & 25

21.00 Sugar Creek 250 Wk. wide course S 9 W
40.00 cut temp. gr. sec. post
52.15 a Stream 10 Wk. wide course N 9 W
80.10 Intersect N & S line 148 Wk. S. of post—
Land 1st 1/2 mile level, 2nd 1/2 mile hilly 1st
rate, timber Walnut, Poplar, Sugar &
Upr. Spruce &

West Connected between Sec. 24 & 25

40.05 cut gr. sec. post at aver. dist. from which
a Buckeye 10 in. diam bears S 39 E 21 Wk. dist. 8

T. 17 N., R. 7 W. 2^d Mer. Ind^aCh. 1st

a Hornbeam 8 in. dia. bears N 77 E 15 lks. dist. &
80.10 to sec. cor.

North between Sec. 23 & 24

5.50 Sugar Creek 2 lks. wide course SE
17.50 NW end of a pond 2 lks. wide course SE
26.12 a W. Oak 24 in. dia.
36.00 Sugar Creek 2 lks. wide course W.
40.00 at gr. sec. port from which
a Sugar 9 in. dia. bears N 15 W 19 lks. dist. &
a Do 12 " " " S 60 E 31 " "
42.50 a Stream 15 lks. wide course SE
54.20 a Do 20 " " " E
80.00 at port cor. of sec. 13, 14, 23 & 24 from which
a Sugar 9 in. dia. bears East 22 lks. dist. &
a Do 9 " " " N 75 W 20 " "
(Description of land &c. omitted)

East in Random between Sec. 13 & 24

9.50 a Stream 15 lks. wide course SE
40.00 at temp. gr. sec. port
53.50 Sugar Creek
79.00 Intersect E. Boundary 167 lks. S. of port—
(Description of land &c. omitted)

West Connected between Sec. 13 & 24

39.80 at gr. sec. port at aver. dist. from which
a W. Oak 18 in. dia. bears N 60 E 11 lks. dist. &
a Do 30 " " " N 65 W 2 " "
79.00 to sec. cor. Monday. June 26. 1820

North between Sec. 13 & 14

Tuesday, June 27. 1820

40.00 at gr. sec. port from which
a Poplar 24 in. dia. bears S 27 W 45 lks. dist. &
a Beech 12 " " " N 77 E 26 " "

T. 17 N., R. 7 W. 2. Mer. Ind. a

357

Ch. Sk?

62.12 a Stream 10 hrs. wide course NW

73.10 a Do 20 " " " NW

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Sugar 12 in. dia. bears N 67 E 9 hrs. dist. S

a Do 10 " " " S 67 W 19 " "

Level good farming land, 2^d rate, timber W.

Oak, Beech, Hickory, Sugar & Upr. Spice &c.

East on Random between Sec. 12 & 13

13.50 a Stream 15 hrs. wide course S

40.00 set temp. q. sec. post

79.60 Intersect E. Boundary 20 hrs. S. of post -

Level good farming land, 2^d rate, timber Ash,

Beech, Poplar & Upr. Spice &c.

West Corrected between Sec. 12 & 13

39.80 set q. sec. post at aver. dist. from which

a Beech 5 in. dia. bears S 40 E 3 hrs. dist. S

a M. Oak 18 " " " N 76 W 32 " "

79.60 to sec. cor.

North between Sec. 11 & 12

18.50 a Beech 10 in. dia.

27.90 a Stream 10 hrs. wide course W.

40.00 set q. sec. post from which

a Beech 10 in. dia. bears S 33 E 27 hrs. dist. S

a Do 6 " " " N 67 E 13 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Sugar 15 in. dia. bears South. 3 hrs. dist. S

a Do 6 " " " N 8 W 29 " "

Land level good 1st rate, timber Walnut,

Sugar, Lynn & Upr. Spice &c.

East on Random between Sec. 1 & 12

40.00 set temp. q. sec. post

79.20 Intersect E. Boundary 129 hrs. S. of post -

T. 17 N., R. 7 W. 2^d Mer. Ind. a

Chh. Lp.

Level good farming land, 2^d rate, timber Ash, Lym, Beech &c. Ulp. Spice &c.

West Corrected between Sect. 1 & 12

39.60 at gr. sec. port at aver. dist. from which
 a W. Oak 20 in. dia. bears N 78 E 8 lks. dist. &
 a Beech 10 " " " N 58 W 26 " "

79.20 to sec. cor.

North between Sect. 1 & 2

22.35 a Beech 10 in. dia.

40.00 at gr. sec. port from which
 a Beech 10 in. dia. bears S 43 E 4 lks. dist. &
 a Ironwood 4 " " " S 72 W 16 " "

43.50 a Stream 20 lks. wide course S W

48.83 a Poplar 48 in. dia.

71.70 Intersect N. Boundary 68 lks. W. of port—
 set port at intersection cor. of sect. 1 & 2 from which
 a Beech 8 in. dia. bears S 70 E 11 lks. dist. &
 a Do 4 " " " N 60 W 11 " "

Level good farming land, 2^d rate, timber
 the same as on last line.

North between Sect. 34 & 35

Wednesday June 28. 1820

17.61 a Poplar 36 in. dia.

40.00 at gr. sec. port from which
 a Beech 6 in. dia. bears S 25 E 5 lks. dist. &
 a Do 8 " " " N 1 W 34 " "

54.19 a Poplar 36 " "

80.00 at port cor. of sect. 26, 27, 34 & 35 from which
 a W. Oak 36 in. dia. bears North 22 lks. dist. &
 a Beech 12 " " " S 9 E 40 " "

Level good farming land, 2^d rate, timber
 Poplar, Ash, Beech &c. Ulp. Spice &c.

T. 17 N., R. 7 W. 2^d Mer. Ind^aCh^r. 2^d.

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. port

49.20 a Stream 8¹/₂ m. wide course N.

80.25 Intersect N. & S. line 29 m. N. of port -

Hilly 2^d rate land, timber Poplar, Beech, W. Oak,
Y. Upr. Spruce &c.

West Corrected between Sec. 26 & 35

40.12¹/₂ set g. sec. port at aver. dist. from which
a Hickory 10 in. dia. bears N 75° W 12¹/₂ m. dist. &
at Beech 12 " " " N 75° E 37 " "

80.25 to sec. cor.

North between Sec. 26 & 27

22.00 a Stream 10 m. wide course NW

28.50 a Spring branch 5 m. wide course W

35.70 a W. Oak 30 in. dia.

40.00 set g. sec. port from which

a Blue Ash 10 in. dia. bears S 42° E 2 m. dist. &

an Ironwood 7 " " " N 36° E 43 " "

46.00 Sugar Creek 200 m. wide course S W.

65.42 a W. Oak 30 in. dia.

80.00 set port cor. of sec. 22, 23, 26 & 27 from which

a Sugar 15 in. dia. bears S 71° E 7 m. dist. &

an Ironw. 5 " " " N 55° E 24 " "

Land hilly 2^d rate, timber Beech, Poplar, Oak,
Y. Upr. Ironwood &c.

East on Random between Sec. 23 & 26

8.30 a Stream 50 m. wide course S W

40.00 set temp. g. sec. port

80.10 Intersect N. & S. line 100 m. S. of port -

First 1/2 mile hilly, 2¹/₂ mile level 1st rate,
timber Walnut, Ash, Sugar & Upr. Spruce &c.

West Corrected between Sec. 23 & 26

T. 17 N., R. 7 W. 2^d Mer. Ind^a.Ch^r. 1st.

40.08 set q. sec. post at aver. dint. from which
 a W. Thorn 4 in. dia. bears S 57 E 20 lbs. dint. 8
 a Hackberry 12 " " N 79 W 17 " "
 80.10 to sec. cor.

North between Secs. 22 & 23

11.40 a W. Oak 24 in. dia.
 14.50 a Stream 50 lbs. wide course SE
 24.00 a Do 50 " " " NE
 30.00 a Do 50 " " " SE
 40.00 set q. sec. post from which
 a Beech 15 in. dia. bears S 9 E 34 lbs. dint. 8
 a Do 10 " " " N 29 W 20 " "
 80.00 set post cor. of sec. 14, 15, 22 & 23 from which
 a Mulberry 12 in. dia. bears N 87 W 14 lbs. dint. 8
 a Hornbeam 4 " " " N 15 E 12 " "
 Kelly 3^d rate, timber W. Oak, Hickory, Beech,
 & Upr. Dogwood &c.

East or Random between Secs. 14 & 23

0.50 a Stream 20 lbs. wide course SW
 4.50 a Do " " " S
 40.00 set temp. q. sec. post
 80.10 Intersect N & S. line 105 lbs. S. of post—
 Kelly 2^d rate land, timber Beech, Poplar,
 Hickory & Upr. Spice &c.

West Connected between Secs. 14 & 23

40.05 set q. sec. post at aver. dint. from which
 a Beech 15 in. dia. bears N 77 W 32 lbs. dint. 8
 a Do 10 " " " N 65 E 5 " "
 80.10 to sec. cor.

North between Secs. 14 & 15

Thursday June 29. 1820

0.20 a Stream 20 lbs. wide course SW

Camp

T. 17 N., R. 7 W. 2.^d Mer. Ind.^aCh^a. Sh^a.

9.73 a W. Oak 24 in. dia.

40.00 dit g. sec. part from which

a Sugar 10 in. dia. bears S 68 E 12 krs. dist. 8

an Ash 10 " " " N 40 W 21 " "

62.32 a Hickory 24 " "

80.00 dit part cor. of sec. 10, 11, 14 & 15 from which

a Sugar 10 in. dia. bears S 10 E 25 krs. dist. 8

a Do 12 " " " N 8 E 30 " "

First 1/2 mile hilly 2.^d rate, 2 1/2 mile level 2.^d
rate, timber Beech, Sugar, Ash, Poplar &
Uls. small Beech &

East in Random between Sec. 11 & 14

40.00 dit temp. g. sec. part

57.61 a Stream 30 krs. wide course S.

79.20 Intersect N & S. line 8 krs. S. of part -

Land level good 2.^d rate, timber Beech, Poplar,
W. Oak & Uls. Spice &

West Connected between Sec. 11 & 14

39.00 dit g. sec. part at aver. dist. from which

a Beech 10 in. dia. bears N 50 E 26 krs. dist. 8

a Do 4 " " " N 84 W 4 " "

79.20 to sec. cor.

North between Sec. 10 & 11

21.03 a Beech 10 in. dia.

40.00 dit g. sec. part from which

an Elm 20 in. dia. bears South 21 krs. dist. 8

a Hickory 10 " " " N 31 E 5 " "

49.76 a Sugar 12 " "

60.30 a Stream 11 krs. wide course W.

80.00 dit part cor. of sec. 2, 3, 10 & 11 from which

a Sugar 5 in. dia. bears N 8 E 30 krs. dist. 8

a Beech 8 " " " S 36 W 25 " "

Land level 2.^d rate, timber Beech, Ash, Poplar,

T. 17 N., R. 7 W. 2^d Mer. Ind.^a

Ch. Lk.

Elm & Upr. Ash &

East on Random between Sec. 2 & 11

40.00 set temp. of sec. post

80.00 Intersect N & S. line of W. S. of post -

Land level 2^d rate, timber Poplar, Lym, W.
Oak & Sugar & Upr. Spice &

West Connected between Sec. 2 & 11

40.00 set of sec. post at aver. dist. from which

a Beech 10 in. diam bears S 42° W 29 W. dist. 8

a Do 8 " " " N 50° W 17 " "

80.00 to sec. cor.

North between Sec. 2 & 3

12.36 a Lym 20 in. dia.

40.00 set of sec. post from which

a Sugar 18 in. diam bears S 45° E 20 W. dist. 8

a Beech 10 " " " N 11° W 25 " "

72.79 Intersect N. Boundary 132 W. of post -

set post at intersection cor. of Sec. 2 & 3 from which

a Sugar 12 in. diam bears N 72° E 3 W. dist. 8

a Beech 4 " " " S 50° W 27 " "

Land level 2^d rate, timber the same as on
the last line.

North between Sec. 33 & 34

14.43 a Beech 30 in. dia.

25.45 a Stream 5 W. wide course NW

36.50 a Do 10 " " " NE

40.00 set of sec. post from which

a Poplar 12 in. diam bears S 72° E 26 W. dist. 8

a Beech 3 " " " N 7° W 15 " "

49.25 a R. Oak 15 " "

80.00 set post cor. of Sec. 27, 28, 33 & 34 from which

a Beech 18 in. diam bears N 75° E 18 W. dist. 8

T. 17 N., R. 7 W. 2^d. Mer. Ind.^a
Ch. Lk.

an Ash 12 in. diam bears S 45° W 49 lbs. dint.
Land hilly 3^d rate, timber Beech, W. Oak,
Poplar & Upr. Ironwood

East on Random between Sec. 27 & 34

1.80 a Stream 20 lbs. wide course N.

40.00 set temp. of sec. port

80.50 Intersect N & S. line 50 lbs. N. of port -

Land hilly 2^d rate, timber Poplar, Beech,
W. Oak & Upr. Spice &

West Corrected between Sec. 27 & 34

40.25 set of sec. port at aver. dint. from which

a Beech 10 in. diam bears N 67° E 44 lbs. dint. &

a Poplar 30 " " " N 88° W 26 " "

80.50 to sec. cor.

North between Sec. 27 & 28

Friday, June 30. 1820

5.00 a Stream 20 lbs. wide course NW

13.73 a Sugar 36 in. dia.

20.50 Sugar Creek 250 lbs. wide course SW

40.00 set of sec. port from which

a Sugar 12 in. diam bears S 10° W 19 lbs. dint. &

an Elm 4 " " " N 80° E 4 " "

58.33 at W. Oak 20 " "

80.00 set port cor. of sec. 21, 22, 27 & 28 from which

a Sugar 10 in. diam bears N 60° W 19 lbs. dint. &

a Do - " " " N 61° E 22 " "

Very hilly 3^d rate, timber Hickory, Beech,
W. Oak & Upr. Beech

East on Random between Sec. 22 & 27

40.00 set temp. of sec. ports

80.50 Intersect N & S. line 150 lbs. N. of port -

Land very hilly 3^d rate, timber Beech,

T. 17 N., R. 7 W. 2.^d Mer. Ind.^a

Ch. Lk.

W. Oaks Hickory & Upr. Dogwood &c.

West Connected between Sec. 22 & 27
 40.25 set g. sec. post at aver. dist. from which
 an Ironwood 4 in. dia bears N 28° W 24 lbs. dist. 8
 a W. Oak 18 " " " N 78° E 15 " "
 80.50 to sec. cor.

North between Sec. 21 & 22
 13.57 a W. Oak 30 in. dia.
 40.00 set g. sec. post from which
 a Sugar 4 in. dia bears N 34° E 12 lbs. dist. 8
 a Do 6 " " " S 30° W 15 " "
 62.72 a W. Oak 36 " "
 78.00 North fork of Sugar Creek 1 Chain wide
 course W.
 80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a Cottonwood 10 in. dia bears N 58° E 17 lbs. dist. 8
 a Do 10 " " " N 85° W 7 " "
 First 1/2 mile hilly 2.^d rate, last 1/2 mile
 level 1.st rate, timber Hackberry, Walnut,
 Sugar & Upr. Hawth.

East on Random between Sec. 15 & 22
 5.00 North fork of Sugar Creek 1 Ch. wide c. SW
 40.00 set temp. g. sec. post
 79.00 a Stream 30 lbs. wide course S.
 81.00 Intersect N & S. line 200 lbs. N. of post -
 Land very hilly 2.^d rate

West Connected between Sec. 15 & 22
 40.50 set g. sec. post at aver. dist. from which
 a Beech 12 in. dia bears S 84° E 29 lbs. dist. 8
 a Do 15 " " " S 62° W 22 " "
 81.00 to sec. cor.
 First 1/2 mile level 1.st rate, 2 1/2 mile hilly

T17 N., R. 7 W. 2. Mer. Ind^a

Ch. Lk.

3rd rate, timber Walnut, Hackberry, Beech
 & Upr. Spice &

North between Sec. 15 & 16

Saturday, July 1st 1820

13.11 a Hackberry 24 in. dia.

40.00 set g. sec. post from which

a Coffeenut 6 in. dia. bears S 16° W 31 lbs. dist. 8

a Hickory 5 " " " N 10° W 4 " "

55.61 a W. Oak 24 " "

80.00 set post cor. of Sec. 9, 10, 15 & 16 in the middle
 of the North fork of Sugar Creek, where raised
 a mound of rocks.

First 1/2 mile level 1st rate - 2 1/2 mile hilly
 2nd rate. Timber Walnut, Hackberry, Beech,
 Poplar & Upr. Spice &

East on Random between Sec. 10 & 15

2.00 to South bank of Creek

21.50 North fork of Sugar Creek 1 Ch. wide course S.

40.00 set temp. g. sec. post

81.28 Intersect N & S. line 140 lbs. N. of post -

Hilly 2nd rate, timber Beech, Poplar, W. Oak &
 Upr. Spice &

West Connected between Sec. 10 & 15

40.64 set g. sec. post at aver. dist. from which

a Beech 4 in. dia. bears N 60° W 11 lbs. dist. 8

a Do 3 " " " N 85° E 18 " "

81.28 to sec. Cor.

North between Sec. 9 & 10

0.50 North bank of Creek

5.50 Creek bank SW

10.00 left the Creek to the left hand side

40.00 set g. sec. post from which

T. 17 N., R. 7 W. 2^d Mer. Ind.^a

Ch. Lk?

a Sugar 6 in. dia. bears S 82 E 5 krs. dist. 8

at Beech 6 " " " S 48 W 18 " "

47.00 a Blue Ash 12 in. dia.

55.50 a Stream 20 krs. wide course W.

78.00 a Do 17 " " " W

80.00 at part Cor. of sec. 3, 4, 9 & 10 from which

a W. Oak 39 in. dia. bears N 85 W 10 krs. dist. 8

a Do 12 " " " S 79 E 16 " "

Land hilly 2^d rate, timber W. Oak, Poplar,
Beech & Upr. Spice &c.

East on Random between Sec. 3 & 10

11.55 a Stream 15 krs. wide course S W.

79.40 Intersect N. S. line 175 krs. N. of part -

Land 1st 1/2 mile hilly, 2^d 1/2 mile level 2^d.
rate, timber Beech, Poplar, W. Oak &
Upr. Spice &c.

West Corrected between Sec. 3 & 10

39.70 set g. sec. part at aver. dist. from which

a Beech 6 in. dia. bears N 10 W 3 krs. dist. 8

a Do 4 " " " S 10 E 4 " "

79.40 to sec. cor.

North between Sec. 3 & 4

12.80 a Sugar 12 in. dia.

31.50 North fork of Sugar Creek 80 krs. wide c. W.

40.00 set g. sec. part from which

a Hackberry 15 in. dia. bears N 46 E 12 krs. dist. 8

a Blue Ash 4 " " " S 34 W 26 " "

69.70 Intersect N. Boundary 102 krs. W. of part -

set part at intersection cor. of sec. 3 & 4 from which

a Beech 12 in. dia. bears S 20 E 8 krs. dist. 8

a W. Oak 24 " " " N 20 E 18 " "

Land hilly 2^d rate, timber same as last
described.

T. 17 N., R. 7 W. 2. Mer. Ind. a.

Ch. Lks.

North between Sec. 32 & 33

12.50 a Beech 12 in. dia.

40.00 sit gr. sec. port from which

a Sugar 10 in. dia. bears S 41 E 5 W. dist. 3

a Do 12 " " " " N 9 E 21 " "

60.75 a W. Oak 30 " "

70.00 a Stream 8 W. wide course W.

80.00 sit port cor. of sec. 28, 29, 32 & 33 from which

a W. Oak 36 in. dia. bears S 47 E 19 W. dist. 3

a Do 24 " " " " N 57 W 18 " "

Land on 1st 1/2 mile level rich 2nd rate, 2 1/2
mile hilly 3rd rate, timber Beech, Poplar,
W. Oak, Sugar & Upr. Spice &

East on Random between Sec. 28 & 33

40.00 sit temp. gr. sec. port

80.40 Intersect N. & S. line 60 W. S. of port -

Very hilly with high cliffs 3rd rate, timber
Beech, W. Oak, Hickory & Upr. Ironwood

West Connected between Sec. 28 & 33

40.20 sit gr. sec. port at aver. dist. from which

a W. Oak 20 in. dia. bears S 52 E 34 W. dist. 3

a Beech 8 " " " " S 36 W 24 " "

80.40 to sec. cor.

North between Sec. 28 & 29

15.00 Sugar Creek 270 W. wide course S W

20.94 a W. Oak 24 in. dia.

40.00 sit gr. sec. port from which

a Ash 9 in. dia. bears N 43 W 26 W. dist. 3

a W. Oak 15 " " " " S 42 W 31 " "

51.93 a Poplar 30 in. dia.

70.00 North fork of Sugar Creek 100 W. wide
course W.

80.00 sit port cor. of sec. 20, 21, 28 & 29 from which

T. 17 N., R. 7 W. 2. Mer. Ind. a

Ch. 1st?

a W. Oak 20 in. diam bears S 37 E 13 lbs. dist. 8
 a B. Oak 24 " " " N 35 W 10 " "
 Land hilly 2. rate, timber W. Oak, Poplar,
 Hickory & Upr. Spice &

East on Random between Sec. 21 & 28

40.00 set temp. gr. sec. post

43.00 North fork of Sugar Creek 100 lbs. wide c. S W.

80.50 Intersect N. & S. line 10 lbs. S. of post -

Land very hilly with tremendous cliffs
 Timber Beech, W. Oak, Hemlock & Upr.
 Beech, Dogwood &

West Corrected between Sec. 21 & 28

40.25 set gr. sec. post at aver. dist. from which

a Beech 10 in. diam bears S 45 E 21 lbs. dist. 8

a Poplar 3 " " " S 57 W 15 " "

80.50 to sec. cor.

North between Sec. 20 & 21

20.05 a Hickory 10 in. dia.

40.00 set gr. sec. post from which

a Hickory 10 in. diam bears N 80 E 9 lbs. dist. 8

a Do 10 " " " S 80 W 13 " "

52.50 a W. Oak 20 " "

80.00 set post cor. of Sec. 16, 17, 20 & 21 from which

a Beech 20 in. diam bears S 20 W 28 lbs. dist. 8

a W. Oak 10 " " " N 30 E 33 " "

Land 1 1/2 mile hilly 2. rate, last 1/2 mile
 level 2. rate, timber Beech, Poplar,
 W. Oak, Hickory & Upr. Spice &

East on Random between Sec. 16 & 21

40.00 set temp. gr. sec. post

46.20 South end of Pond, North 1 Ch.

48.75 a Stream 5 lbs. wide course S.

T. 17 N., R. 7 W. 2^d Mer. Ind.^aC.M. 2^d.

80.00 ~~let part cor. of sec.~~ Intersect N. S. line at post.
Land level 2^d rate, timber Beech, Poplar,
Sugar, W. Oak & Uls. Hornbeam &c.

West Connected between Sec. 16 & 21

40.00 let q. sec. post at aver. dist. from which
a Sugar 6 in. dia. bears S 70 W 6 lks. dist. &
an Elm 15 " " " N 70 E 32 " "

80.00 to sec. cor. Monday evening, July 3. 1820

North between Sec. 16 & 17

Tuesday morning July 4. 1820

20.16 a Poplar 24 in. dia.

40.00 let q. sec. post from which
a W. Walnut 5 in. dia. bears S 10 W 7 lks. dist. &
a Hornbeam 3 " " " N 25 W 11 " "

50.03 a Beech 15 " "

62.61 a Stream 10 lks. wide course W

62.00 a Do 10 " " " SW

80.00 let part cor. of sec. 8, 9, 16 & 17 from which
a Poplar 20 in. dia. bears N 46 W 7 lks. dist. &
a Sugar 8 " " " S 62 E 11 " "
Land level 2^d rate, timber Beech, Sugar, Poplar
Hickory & Uls. Spice &c.

East on Random between Sec. 9 & 16

5.50 a Stream 5 lks. wide course SW.

52.62 North fork of Sugar Creek 75 lks. wide course SE

61.50 Do Do 80 " " " NE

80.00 Intersect N. S. line at post-

Land hilly 3^d rate, timber Beech, W. Oak,
Hickory & Uls. Ironwood &c.

West Connected between Sec. 9 & 16

40.00 let q. sec. post at aver. dist. from which
a Beech 6 in. dia. bears S 70 E 39 lks. dist. &

T 17 N., R. 7 W. 2. Mer. Ind. a

E.W. Sp?

a Lymn 10 in. dia bears West 26 Wks. dist.
80.00 to sec. cor.

North between Sec. 8 & 9

12.67 a Sugar 15 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia bears N 50 E 4 Wks. dist. &

a Sugar 8 " " " S 5 E 22 " "

64.52 a Do 18 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a Beech 8 in. dia bears South 18 Wks. dist. &

a Beech 10 " " stands for corner tree.

Level good farming land, 2^d rate, timber Beech,
Poplar, Sugar & W. Oak, Spice &

East on Random between Sec. 4 & 9

40.00 set temp. gr. sec. post

59.00 North fork of Sugar Creek 80 Wks. wide corner S.

80.09 Intersect N. S. line 150 Wks. N. of post -

Level 2^d rate, timber Beech, Poplar, W. Oak,
& W. Oak, Spice &

West Corrected between Sec. 4 & 9

40.04 set gr. sec. post at aver. dist. from which

an Ash 6 in. dia bears N 34 W 19 Wks. dist. &

a Sugar 4 " " " S 20 - 28 " "

80.09 to Sec. cor.

North between Sec. 4 & 5

27.73 a Poplar 36 in. dia.

40.00 set gr. sec. post from which

a Poplar 24 in. dia bears N 75 W 8 Wks. dist. &

a Sugar 10 " " " N 68 E 22 " "

53.75 an Ash 24 " "

67.06 Intersect N. Boundary 83 Wks. W. of post -

set post at intersection cor. of sec. 4 & 5 from which

T. 17 N., R. 7 W. 2. Mer. Ind. a

Ch. Sp.

a B. Ash 10 in. dia. bears North 9 lbs. dist. S
 a Beech 10 " " " S 19 W 14 " "
 Level good farming land, 2^d rate, timber Beech,
 Poplar, Ash, Hickory & Upr. Spruce &

North between Sec. 31 & 32

Wednesday, July 5. 1820

22.50 a Stream 13 lbs. wide course N. Clift of
 rocks 40 feet high with abundance of allum.

27.00 leave stream to the right hand

33.30 a Stream 50 lbs. wide course N 5 W

40.00 sit g. sec. part from which

a Dogwood 2 in. dia. bears S 80 W 9 lbs. dist. S.

a Poplar 2 " " " S 9 E 5 " "

47.70 a Stream 50 lbs. wide course E.

50.00 sit part cor. of sec. 29, 30, 31 & 32 in middle
 of a stream 50 lbs. wide, from which
 a Beech 15 in. dia. bears West 75 lbs. dist.

(No other Bearing tree)

Land very hilly 3^d rate, timber Ash, Beech,
 Hemlock & Upr. Beech &

East in Random between Sec. 29 & 32

40.00 sit temp. g. sec. part

60.75 a Stream 12 lbs. wide course N.

79.40 Intersect N & S line 60 lbs. S. of part -

Land hilly 2^d rate, timber Beech, Poplar,
 Sugar, Ash & Upr. Spruce &

West Connected between Sec. 29 & 32

39.70 sit g. sec. part at aver. dist from which

a Beech 24 in. dia. bears S 64 E 11 lbs. dist. S

a Sugar 12 " " " N 78 W 23 " "

79.20 to sec. cor.

West between Sec. 30 & 31

T. 17 N., R. 7 W. 2. Mer. Ind.

Ch. Sk.

Thursday, July 6. 1820

- 40.00 Set g. sec. post from which
an Ironwood 6 in. diameter S 75 E 8 kps. dist. 8
a Do 5 " " " N 72 W 15 " " "
- 81.00 Intersect W. Boundary 62 kps. S. of post -
set post at intersection cor. of sec. 30 & 31 from which
a W. Oak 15 in. diameter N 12 E 31 kps. dist. 8
a Red bud " " " S 80 E 13 " " "
- Land T. $\frac{1}{2}$ mile hilly 2^d rate, timber
Beech, Poplar, Ash & W. Upr. Spice &c.
-

North between Sec. 29 & 30

- 13.37 down in Creek to impassable cliff, where
Creek turns West
- 17.00 a W. Oak 30 in. dia.
- 40.00 Set g. sec. post from which
a Buckeye 10 in. diameter N 20 E 10 kps. dist. 8
a Do 3 " " " S 70 W 9 " " "
- 48.37 Sugar Creek 275 kps. wide corner W.
- 80.00 Set post cor. of sec. 19, 20, 29 & 30 from which
a Beech 15 in. diameter S 40 W 32 kps. dist. 8
a Do 10 " " " N 68 E 17 " " "
- Land hilly good 2^d rate, timber Ash, Beech,
W. Oak & W. Upr. Spice
-

East on Random between Sec. 20 & 29

- 36.60 North fork of Sugar Creek 1 Ch. wide c. S.
- 40.00 Set temp. g. sec. post
- 60.50 North fork of Sugar Creek 1 Ch. wide corner NW
- 79.10 Intersect N. S. line at post -
Land hilly 2^d rate, timber W. Oak, Beech,
Poplar, Sugar & W. Upr. Spice &c.
-

West Corrected between Sec. 20 & 29

- 39.55 Set g. sec. post at aver. dist. from which
a Buckeye 6 in. diameter N 44 W 30 kps. dist.

T. 17 N., R. 7 W. 2^d Mer. Ind.^a

Ch. Cr.

On Lyeamore 36 in. dia. bears S 14 E 41 lbs. dist.
79.10 to Sec. cor.

West between Sec. 19 & 30

40.00 cut of sec. post from which
a Hickory 10 in. dia. bears N 15 E 4 lbs. dist. &
an Ironwood 3 " " " S 80 E 7 " "
81.50 Intersect W. Boundary 69 lbs. S. of post -
cut post at intersection cor. of sec. 19 & 30 from
which a Walnut 20 in. dia. bears N 52 E 4 lbs. dist. &
a Sugar 8 " " " N 18 W 23 " "
Land hilly 3^d rate, timber W. Oak, Hickory
Beech, & Upr. green Brier &c.

North between Sec. 19 & 20

Friday July 7. 1820

13.67 a W. Oak 36 in. dia.

40.00 cut of sec. post from which
a Beech 10 in. dia. bears S 38 W 23 lbs. dist. &
a W. Oak 18 " " " N 58 E 10 " "

59.11 a Stream 15 lbs. wide course E

61.21 a Sugar 12 in. dia.

80.00 set post cor. of sec. 17, 18, 19 & 20 from which
a Lyeamore 24 in. dia. bears N 78 E 30 lbs. dist.
an Elm 8 " " " N 18 E 16 " "
First 60 Ch. hilly, last 20 Ch. level 3^d rate,
timber Beech, W. Oak, Hickory. Upr. Dog-
wood &c.

East in Random between Sec. 17 & 20

1.50 a Stream 50 lbs. wide course S.

40.00 cut temp. of sec. post

79.30 Intersect N & S line 100 lbs. S. of post -
Land hilly 2^d rate, timber same as last
described.

T. 17 N., R. 7 W. 2. Mer. Ind.?

Ch. Sp.

West Corrected between Sec. 17 & 20

39.65 let g. sec. part at aver. dint. from which
 a Sycamore 20 in. dia. bears N 86 E 22 W. dint. 8
 an Elm 5 " " " S 65 W 24 " "
 79.30 to sec. cor.

West between Sec. 18 & 19

40.00 let g. sec. part from which
 a Beech 20 in. dia. bears N 58 E 20 W. dint. 8
 a Do 12 " " " S 78 W 39 " "
 80.00 Intersect W. Boundary 134 W. S. of part -
 at intersection a Beech 10 in. dia. stands for
 cor. of sec. 18 & 19 from which
 a Beech 18 in. dia. bears N 31 W 34 W. dint. 8
 (No other bearing tree)
 First 1/2 mile land hilly 3^d rate, 2 1/2 mile
 level 2^d rate. Timber Ash, Beech, Poplar,
 W. Oak & Upr. Spice &

North between Sec. 17 & 18

23.00 an Elm 18 in. dia.
 34.90 touched a stream 25 W. wide, where made
 short bend to SE
 35.50 come out on same side of stream
 40.00 let g. sec. part from which
 an Ironwood 5 in. dia. bears N 31 W 20 W. dint. 8
 a Lym 4 " " " S 8 E 6 " "
 62.50 a Sugar 10 " "
 69.00 a Stream 30 W. wide came SE
 80.00 let part cor. of sec. 7, 8, 17 & 18 from which
 a Beech 15 in. dia. bears S 25 E 15 W. dint. 8
 a Hornbeam 4 " " " S 73 E 6 " "
 Land hilly 2^d rate, timber Beech, Walnut,
 Ash, Poplar & Upr. Spice &

East on Random between Sec. 8 & 17

T. 17 N., R. 7 W. S. Mer. Ind^a.Ch^a 80^a

40.00 set temp. of sec. post
 49.50 a Stream 20 Ws. wide course SW
 79.14 Intersect N.E. line 50 Ws. S. of post -
 Land hilly & rate, timber Beech, Poplar,
 W. Oak & Upr. Spice &c.

West Connected between Sec^s 8 & 17

39.57 set of sec. post at aver. dist. from which
 a Sugar 12 in. dia. bears N 25 E 7 Ws. dist. 8
 a Beech 6 " " " S 10 W 12 " "
 79.14 to sec. Cor.

West between Sec^s 7 & 18

0.25 a Stream 25 Ws. wide course SW.
 40.00 set of sec. post from which
 a Beech 12 in. dia. bears N 18 E 18 Ws. dist.
 La Dr 10 " " " S 1 E 14 " "
 67.90 a Stream 12 Ws. wide course S.
 81.20 Intersect W. Boundary 200 Ws. S. of post -
 set post at intersection cor. of sec. 7 & 18 from
 which a W. Oak 26 in. dia. bears N 50 E 19 Ws. dist. 8
 a Sugar 8 " " " N 64 W 10 " "
 Land hilly & rate, timber Beech, Poplar,
 W. Oak, Hickory & Upr. Spice &c.

North between Sec^s 7 & 18

Saturday, July 8. 1820

0.25 a Stream 25 Ws. wide course SW.
 20.90 a Sugar 15 in. dia.
 24.20 a Stream 10 Ws. wide course E.
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S 66 W 14 Ws. dist. 8
 a Sugar 12 " " " N 15 W 23 " "
 44.58 a Stream 24 " "
 72.50 a Stream 20 Ws. wide course SE
 80.00 set post cor. of sec^s 5, 6, 7 & 8 from which

T. 17 N., R. 7 W. 2. Mer. Ind. a

Ch. 1. 80

a Sugar 12 in. dia. bears N 29° W 21 Ws. dist. 8
 a Beech 15 " " S 39° E 18 " "
 Land hilly 3rd rate, timber Beech, W. Oak,
 Sugar & W. Spr. Junwood

East on Random between Sec. 5 & 8

40.00 at temp. of sec. port

79.60 Intersect N & S. line 45 Ws. S. of port.

Level good farming land 2nd rate, timber
 Poplar, Beech, Ash, Hickory & W. Spr. & White.

West Connected between Sec. 5 & 8

39.80 at gr. sec. port at area. dist. from which

a Poplar 24 in. dia. bears S 55° W 28 Ws. dist. 8

a Beech 4 " " S 85° E 18 " "

79.60 to sec. cor.

West between Sec. 6 & 7

3.25 a Stream 20 Ws. wide course S E

40.00 at gr. sec. port from which

a Sugar 10 in. dia. bears S 18° W 19 Ws. dist. 8

a Beech 12 " " S 78° E 19 " "

80.34 Intersect N. Boundary 309 Ws. S. of port.

at port at intersection cor. of sec. 6 & 7 from which

a Beech 20 in. dia. bears S 70° E 10 Ws. dist. 8

a Hornbeam 5 " " N 59° W 13 " "

Land level 2nd rate, timber Beech, Ash,
 Poplar & W. Spr. Beech &.

North between Sec. 5 & 6

7.42 a Stream 20 Ws. wide course S 10° W

9.50 a Do — " " S E

11.35 a W. Oak 15 in. dia.

14.62 a Stream 20 Ws. wide course S W

16.00 Do — " S E

40.00 a Sugar 10 in. dia. stands for gr. sec. cor. from

T. 17 N., R. 7 W. 2^d Mer. Ind.^a
 Ch. & Sp.

which a Sugar 8 in. dia. bears N 10 E 17 W. dist.
 (No other Bearing tree)

48.67 a Poplar 36 in. dia.

68.05 Intersect N. Boundary 86 W. of point -
 set post at intersection cor. of sec. 5 & 6 from
 which a Beech 6 in. dia. bears N 24 E 4 W. dist. 8
 an Ash 24 " " " S 35 W 21 " "

Land level 2. rate, timber Beech, Poplar,
 Ash & Uls. Hornbeam &
 William Polke
 Dep. Surveyor.

I certify that the foregoing transcript
 of Field Notes of the survey of Township
 N. 17 North, in Range N. 7 West of the
 2^d Principal Meridian, in the State
 of Indiana, has been compared with the
 original on file in this office, and found to
 be correct.

Surveyor General's Office
 Cincinnati, July 27, 1844

William Johnston
 Sur. Genl.